

Material Description
Sulfuric Acid bulk
ROTO-JET ROH 3X2 S-266 PUMP PACKAGE (SIM
FLARE VAPOR COMPRESSOR
SEAL ASSEMBLY,MECH,REPAIR,SIZE 1.625
SEAL, FLOWSERVE, P/N:A2R15505-01
ATMOSPHERIC COLUMN OVERHEAD EXCHANGER SP
SEAL. A2R90536-01, (1410726), K-5604
SIGHT FLOW INDICATOR,1" FLANGED, A20
TURBINE ROTOR W/SHAFT ASSY,P/N 2BYRHW, R
TIP, OUTER, BURNR
COOLING WATER PUMP
VALVE, LIQUID GAS FUEL CONTROL
FLARE VAPOR COMPRESSOR
SOLAR CERTIFIED PARTS MODEL #VL3000S SER
EXCHANGER TEST RING - CRATED PALETTE
WTU :ACTIVATED CBN,4 X 10 1100 SS (WTU)
CORE,ATOMIZE, BURNR
REFINERY AIR COMPRESSOR
MDO PIPING - USED FOR TURNAROUNDS WAS MA
BLOCKED Screen Display UIM
XF-2301 - 10 - 1 EA. COMPLETE AMARILLO G
SEAL ASSEMBLY,MECH,,2-1/4 IN,REPAIR,
cup, governor with trip parts
GOVERNOR,TYPE PGD,405-1150 RPM C365351-U
- SEAL ASSEMBLY,MECH,REPAIR,2
EXCHANGER TEST RING - RACK 14
EXCHANGER TEST RING - RACK 58
CVRALL:DISPOS,XL,B2701541 TEMPRO
REFINERY EFF FROM OUTFALL SUMP TO OPEN O
GEARBX:2.31:1 GEAR RATIO,3550 INPUT,8200
GEARBX:2.31:1 GEAR RATIO,3550 INPUT,8200
FORCE DRAFT
FAN BLOWER, WHEEL, ALUMINUM, P/N TBR R33
FIRE WATER PUMP
CAL GAS-116L 500 PPM H2 BAL HYDROGEN I24
DISK PACK 301315-13
F-6701 SUPERHEATER (67-1301PRD)
LUBE OIL PUMP, GEAR DRIVEN
MODULE, CONTROLLER, CONTROLNET
TEMPERED H2O LINE UPSTRM OF E-5151
COOLING TOWER FAN
AUX LUBE OIL PUMP
ASSEMBLY,CONTROL,LIQUID
- Gravel
RESIN,MXD BED,Amberlite IRN H/OH,150 MR-
VALVE,INLET,HI PRESS,5-1/2 IN 42135848 M
SLEEVE,BRZ BABBIT
LSR TO COGEN

FILTER,ELE-DIESEL-3-3/4"ODX40"L,5 MICRO,
PUMP, DIAPHRAGM, S/S, TEFLON INTERNALS
Quart Cone Top Cans
FAN FOR E-5126/E-5136/ E-5171 N OF CRUDE
MOTOR;1HP,TE,56CZ,1765,230/460,MP5506
SEAL ASSEMBLY,MECH,REPAIR, 2-1/2", FLOWS
VALVE,DISCHARGE,LOW PRESS,8 IN
MOTOR;3HP,TEFC,182T,1755,460,MK5176
FILTER,ELEMENT,FBRGLS,P/N: I 644C5TB
Front Plate Assembly to Suit E2000/140
VALVE SOLENOID , 2 WAY SOLAR PN 1067312-
SEAL ASSEMBLY,MECH,REPAIRAB
TEMPERED WATER FAN FOR VAC COLUMN
SEAL ASSEMBLY,MECH,1.5 IN SHAFT,REPAIR,
INJECTOR ASSEMBLY,TURBINE, 134895-301
VALVE,INLET,LOW PRESS,8 IN
PUMP, MORGAN,275DS-TR2 CHEMICAL INJECTOR
GAUGE,PRES, 0-400PSI,3", 1/2"NPT
Coupling Insert, LoveJoy 12HS
LOW PRESSURE BOILER FEED WATER
40 # INJECTION VALVE P/N 754A001D-111000
MOTOR,7.5HP,56,213T,1770,K3643EM377,REPA
HYDROCARBON FROM V-3643 HYDROCARBON COLL
KIT,COMBUSTOR DRAIN VALVE
MF-5104 A/B CRUDE FDF OB BEARING HOUSING
BEARING,GEAR,2 HALVES/SET
SEAL ASSEMBLY,MECH,REPAIR,2-1/2 IN,FLOWS
OIL,GST 100 TURBINE,55 GAL. DRUM
R-MAX VALVES, P/N 2F-R2DM2-V-SS-3
LINER,BEARING,INDUCED DRAFT,3-5/16"
HOUSING,BEARING,INBOARD
MF-5104 A/B CRUDE FDF IB BEARING HOUSING
BEARING,GOVERNOR END
SEAL ASSEMBLY,MECH,REPAIR,2-1/2IN KALREZ
FILTER,COALESCER, SO 636-TB
SEAL ASSEMBLY,MECH,REPAIR,P/NA2R23333-02
Thrust bearings upgrade P/N MRC8316BB
F-6701 ECONOMIZER (67-1008PRD)
SEAL ASSEMBLY,MECH,REPAIR,2-7/8 IN,FLOWS
CLAY:SPEC FULLERS EARTH,2000 LB BAG
F-6704 ECONOMIZER
SEAL, ASSEMBLY, MECH, REPAIRABLE
SEAL A2R116438-01-Q1, FLOWSERVE, DUAL UN
F-6704 STEAM DRUM TO HEADER
THRUST BEARING, MRC 8313, P-5185A
TOP OF V-5205A
VALVE STEM,GOVERNOR 2 PCS./EA.
TURBO BLEND 55 GAL DRUM
SEAL ASSEMBLY,MECH,1.625SHAFT,REPAIR,FLO

DYE:RED,TOTE
EXCHANGER GASKET - E 5510
TEMPERED WATER FAN FOR VAC COLUMN
COOLING TOWER FAN
COOLING TOWER FAN
Valve,Fuel Gas Shut Off Valve & Actuator
70W HPS LED Replacement
STEAM GEN E-5165C
TRANSMITTER E1G STG770-E1GC1A C5100
SEAL ASSEMBLY,MECH,REPAIR,2-1/8",FLOWSER
SEAL,ASSY,MECH,GSLW-2625-5D9Z,K-3640,REP
V-5117A MERCURY ABSORBER
SEAL ASSEMBLY,MECH,REPAIR,P/NA2R16631-01
NON-STOCK
RESP:DISPOS,8212 3M CO
V-5129 LGO COALESCER
MONITOR,CNTRL,OVRSPPEEDD SOLAR 1053834-3
BUSHING,MAIN BEARING
EXCHANGER TEST RING - RACK 56
ATMOSPHERIC COLUMN OVERHEAD CONDSOR FAN
BUSHING,CRANK PIN
BEARING,EXHAUST END
SEAL ASSEMBLY,CARTRIDGE,P/N A2R122162-01
SEAL ASSEMBLY,MECH,REPAIR,2-1/2 IN,FLAWS
SEAL ASSEMBLY,MECH,REPAIR,P/NA2R86246-01
OIL,ROYCO 782, DRUM
SEAL ASSEMBLY,MECH,REPAIR,2 1/2 IN,FLAWS
MOTOR, 1HP, TENV, 56CZ, F5103
VALVE,DISCHARGE,HI PRESS,5-1/2 IN
PAPER,FLTR:28320-201 VWR SCIENTIFIC
STARTER-HYDRAULIC MOTOR REBUILT.SOLAR P
SENSOR, TEMP, THERMOCOUPLE PROBE SOLAR 1
SERVES V-2304 FLARE LINE
K-5205A DISCHARGE
BEARING,STEAM END C-331-026-004
STARTER-OIL PUMP,REBUILT,SOLAR TURBINE P
CAN:1 GAL,EPOXY,1-3/4" OPENING,KM1080EL
VALVE.BALL.W/ACTUATOR AAP1401581-01906
MOTOR,5HP,56,215T,1160,COGEN FAN,REPAIR
MOTOR;1HP,TE,143TC,1765,460,ME3617/18
CAN:5 GAL,EPOXY,KM5080 LABELMASTER
FILTER,ELEMENT,AIR INLET,P/N 42808485, K
SEAL ASSEMBLY, MECH 2-1/2" - REPAIRABLE
SEAL ASSEMBLY,MECH,REPAIR,1.625 IN SHAFT
SEAL ASSEMBLY,MECH, REPAIRABLE,2-1/2 IN,
SEAL ASSEMBLY,MECH,REPAIR,1-1/2 IN,FLAWS
F-6704 STEAM DRUM
F-6701 STEAM DRUM (67-1013PRD)
FD WATER TO FUEL GAS COOLER

V-5128 HSR NAOH SETTLER
V-5116 LGO MEROX REACTOR
P-5182 CAUSTIC DISCHARGE
600# TO 300# STEAM REDUCING STATION
CAUSTIC PUMP - 52-157PRD
CAUSTIC PUMP S OF LIME SHED
V-5202 SERVICE AIR RECEIVER
F-6704 STEAM DRUM
EXCHANGER GASKET - E 5503
BODY,TRIP
F-6701 STEAM DRUM
BAFFLE,OIL
POWER SUPPLY, COGEN PLC, ALLEN-BRADLEY
BEARING,PUMPAC,55X120X58 MM 8311
TRANSD,press,AAP0540089-210,CAMERON
FILTER,COALESCER,VELCON 1632-TB
TEAM TRAILER - 52-15PRD
FILTER,ELEMENT,PREFLTR,5 MICRON,6X44" FO
SENSOR, CONDUCTIVITY, 1006358
REFINERY EFF FROM OUTFALL SUMP TO OPEN O
TRANSMITTER,TEMP SMART STT850
SEAL ASSEMBLY,MECH,REPAIR,GW3500-YN4Q,FL
MONOETHANOLAMINE,99%, TOTE
3 Valve Interlock &Housing Tube Assembly
SEAL ASSEMBLY,MECH,REPAIR, -1/4 IN,FLOWS
MODULE-RELAY,DC STD FUNCT,MODEL QC04765
TOP OF V-5225
WORTHINGTON U2R PARTS BOX
BLK**OIL,GST 100 TURBINE,220 gal cap.pf
COUPLING,OIL PUMP
ABSRBNT:OIL,PAD,18" X 18' X 3/8",T156 3M
Gasket, Manway, Grafoil 316L
ANALYZER,CHROMATOGRPH,REG.0-250PSIG,ELEC
VALVE, PILOT CONTROL SST
CORROSION XMTR
P-3618 RECOVERED OIL
MOTOR;1.5HP,BSK,F184,1740,230/460,MP2305
WSR BOOSTER
Hose, 3/4" Steam, 50', 150lb, Male NPT
TRANSM, VIBRATION,P3403893-00416
SEAL ASSEMBLY,MECH,REPAIR,2-3/8 IN,FLOWS
EXCHANGER GASKET - E 5150
SPARE PUMP LOCATED IN I&E WAREHOUSE PR2C
GASKET,SPWD,PN:969035C1
GOVERNOR VALVE, BUTTERFLY
ORIFICE, Torch Orifice, PN 908601C1
KIT,SEAL,38MM, ATOMIZER
GASKET,VALVE SEAT
TUBE,DETECTOR,SULFIDE,2-1000 PPM P/N200

MOTOR,.075HP,TEFC,145T, RPM850, 230/490
VALVE,SOLENOID,PRG,2WAY,316SS,1/2"24VDC
MLM AAP3798102 00031 MODEL TURBO AIR 200
PACKING, STYLE G58, 9/16" x 50', 562G58C
PACKING,RING,CARBON
CAP NUT,SERIES 30 ATOMIZER,PN1049930
RING,PISTON
R-MAX VALVE, STREAM SWITCHING
MDL,INPUT,ANLG,8,N-IS, P/N 1051931-4
1/2" NB Oil Gun Assembly
Weight, Bushing Trip, P/N; T129865A03
RESIN,CATION,MRTHN C H,5 CF/DR
LINER,MAIN BEARING,TOP
SEAL ASSEMBLY,MECH,REPAIR,1-1/8 IN,FLOWS
Calibration Gas - 5ppm Methane
SEAL, SHAFT, MAGNETIC P/N 1500MP2250
CONNECTION,GOVERNOR SPINDLE
I/C BAFFLE ASSEMBLY
C-LOGIX,MODULE,COMM,DH+, P/N 1046415-14
PUMP, MORGAN,D10-PVC-TR2, CHEMICAL INJEC
VALVE STEM,GOVERNOR,3-1/4 IN
BEARING,PILLOW BLOCK,SHAFT P/N PU335
SWITCH,ELECTRICAL,LIQ LEVEL,600 DEG. F
MDL,I/O, DISCRETE,10/6, P/N 1051931-13
BEARING,STEAM & EXHAUST
PUMP KIT, REBUILD AIR END
SEAL ASSEMBLY,MECH,P/N 2M-14696,REPAIR,
SENSOR, T5, TC, C40
NOX PUMP (CAT#1057) COGEN #4
MASK:GAS,14140108 WILLSON SAFTEY
PUMP KIT, REBUILD, VERSAMATIC SS, TPFE
PACKING- CARBON RING, WITH SPRINGS AND S
WORM,TURBINE
CLAMP, REPAIR, 6",EMERGENCY,SKINNER
SLIDE,GOVERNOR
EXCHANGER GASKET - E 5166
EXCHANGER GASKET - E 5199/A
CRUDE FURNACE HANGARS
TEMPERED WATER FAN FOR VAC COLUMN
EXCHANGER GASKET - E 5510
TERRY TURBINE, U2R MODEL
FIRE WATER TURBINE
STARTER, NON-REVERSING, EATON, 3 POLE
Body, Trip, P/N: 633788-3, (1074157)
CLOTH, MIRAFI 170N, 12-1/2' X 360' ROLL
Module, Battery Assembly, LogixP/N:10464
FILTER, ELEMENT, I-440CHEV, V-5124
PACKING, STYLE G58, 1/4" X 125', 250G58B
GAUGE,PRES:0-200

Burner Tip BN-1T CF8M H-603/RB2852
KIT,LSR,SMALL FILTER,COGEN,SOLAR 120765-
BEARING,PINION,UPPER&LOWER HALF D-309-03
PACKING, STYLE G58, 5/16" x 90', 312G58B
GAUGE,PRES:0-160
REFER TO 43UPS-CCB1, UPS 1, CENTRAL CONT
TRANSMITTER, PRESSURE GAUGE 0-700 PSIG,
KIT, REPAIR,LIQUID KIT, FOR NDP - 40BAV
TRANSMITTER, PRESSURE GAUGE 0-1500 PSIG,
POSITIONER, PMV ELETRO-PNEUMATIC
Shaft sleeve
PICK UP,VIBRATION
BEARING,GEAR E-3933-36 TERRY GEAR BOX
BEARING,GEAR 603365-1
COGEN 1 - 3 FUEL FILTER ELEMENT KIT
CHEM:PENETONE 19,INDUST CHEM & LUBRICAN
SWITCH,PRESSURE
SEAL ASSEMBLY,MECH,REPAIR,3-5/8 IN,FLOWS
PUMP,ASSEMBLY,OIL
CAL GAS- 5-GAS MIX (100PPM CO, 25 PPM H2
GAUGE,PRES:0-1000
SEAL - SHAFT,MAGNETIC,MAGUIRE 1875RSA25
FILTER,ELEMENT,LSR,5 IN 2 MICRON
Packing, Carbon Ring/spring
60470: CAN:oblng:1 GAL,1-3/4" opening.
DETECTOR,H2S TUBE, .75-300 DRAEGER
1" NB Self Inspriating Pilot Assembly
OVERSPEED TRIP SPRING
OX POND ALGAE SYSTEM FLOAT
KIT, REPAIR, AIR END, FOR NDP - 40BAV
HOSE,METAL FLEX SOLAR COGEN
BALL BEARING CAP #23
TRANSMITTER LIT-A-1-E-2-B-SCR, LEVEL IND
RESIN, CATION, AMBERLITE HPR1200
WEIGHT,EMERGENCY
ELECTRO-LUBRICATOR,AUTO,MINI,PN:MINI
SET, BOLT, FLEX, SHEAR BOLT ACCESSORY KI
PACKING, STYLE G58, 1/2" X 35', 500G58B
SWITCH,PRESSURE
SOLENOID VALVE,SOLAR 128315-30
THRUST BEARING, SKF 3313NR, P-5159A
PLUG,ATOMIZER DISTRIBUTOR,PN:1048521
SET,BOLT,SHEAR
BEARING,BALL,P/N 7408BCBM
TRANSDUCER,GOVERNOR,PEAK 150
GASKET,OVAL MNWY,SPWD,3/4X12X16IN,G2-3
TUBING, 1/4 X 60' TYPE K COPPER TUBING
FILTER, INLET AIR TYPE V
PCB ASSEMBLY,1PH OSCILLATOR,60HZ

ProVenger Handline Nozzle w/ 1.5" Inlet
MODULE,I/P,CONVERTER 33B7073X032
SWITCH, PRESS, P/N 1053923-114
VALVE,SOLENOID,4 WAY,24VDC
SIGHT GLASS, OIL, TRICO, P/N 20405R
CONNECTOR CABLE,S/R-REFLECTOR,10M
SEAL, SHAFT, MAGNETIC P/N 1625MP2375
PIN,EMERGENCY WEIGHT
MAGNETROL, MAIN PC BOARD
BEARING,BALL,P/N SKF 7313/BECBM, P-5135
500 PPM,COMP: (Air.Methane) N.O.S
SEAL,MECH:B91869 JOHN CRANE
C-LOGIX,MODULE,COMM,C-NET1.5
PIN. Governor, lever
SEAL, SHAFT, MAGNETIC P/N 2312MP3062
NOX PUMP (CAT#430)
BURNER TIP,PN:395-295-5-70-75-38
KIT, SERVICE AAMB795270-20003 MODEL TURB
KIT,TORCH AIR ASSIST,SOLAR 961077C1
Seal, Shaft, Isomag, 2000RSA2625
VALVE,GOVERNOR. worthington
SEAL ASSEMBLY,MECH,REPAIR,P/NQBQ17505U4X
DETECTOR, SPW, TECHNETICS 3548-60000
BAFFLE,OIL
VALVE, QUICK EXH, P/N 1023518-100
GAUGE,PRES:0-2000
PLUNGER,ASSEMBLY
PUMP,AIR ACTUATED,MORGAN #HD312-TR2,REPA
EXCHANGER GASKET - E 5152
HRSG AUX AIR FAN
MOTOR;1HP,TEFC,56CZ,1725,115/230,ACID62
CONVERSION KIT - WORTHINGTON TURBINE
EXCHANGER GASKET - E 5502
BEARING,EXHAUST END
CAN:OBLONG,1 QT,1-3/4" OPENING
PACKING, STYLE G58, 7/16" X 50', 437G58B
RAD. BEARING, SKF 62132RS, P-3640A
SWITCH, DIFF PRESS,@, P/N 1053930-17
BAFFLE,OIL
OIL:PENETRATING,10 OZ,KROIL
135 Swirler
SPINDLE,GOVERNOR, 91536-001
GOVERNOR,ASSEMBLY
KIT, REPAIR, 17-4TN PLUNGER
PUMP,INJECTION MORGAN PMP 55DS-TR2
WEIGHT,OVER SPEED,10373-701
FILTER,SOCK,5 MICRON,P/N:713518
VALVE,STEM,668008-GR3
CORROSION ANALYZER E-5102 OUTLET

SEAL, SHAFT, MAGNETIC P/N 2125MP2875
MDL,OUTPUT,FAST ANALOG,4,ISOL
BATTERY,9-VOLT EV-REDY EN2 2 0398000191
P-6204B/C SEAL
CO SENSOR, RAE SYSTEMS
TRANSMITTER, VELOCITY VIBRATION
E-3644 ELECTRIC SUPER HEATER
SPARE FROM 36-43PRD LOCATION
KIT, REPAIR, LIQUID KIT, FOR NDP-40BAV-H
CANISTER:ORGANIC VAPOR/ACID GAS,14290029
WORN GEAR
SOLAR, COGEN 4, VALVE,SOLENOID,2-WAY PSI
O-RING 1/2' X 91' GASKET O-RING G-0769
ASPIRATOR,BLOCK,AMETEK,70601SE
IGNITION,EXCITER LIVINGSTON 305001-5
WIPE:DISPOS,4-1/2" X 8-1/2",PAPER,WHITE
WEAR RING,IMPELLER,CASE
FISHER TYPE 627R SERIAL #R057268274 RANG
BEARING,PUMPAC,45 X 100 X 50 MM 8309
BALL VALVE W/ ACTUATOR, K-5205
GOVERNOR PG-PL
RING,INNER,CARBON,6 RINGS PER SET
RESERVOIR,BOOST
GAUGE,PRESSURE,4-1/2" PHEN,1/2 BT,0-3500
RING,PISTON,1/2 X 3/8 IN
ELECTRO LUBE, MINI
CONTROL,SUPPLY,PWR, 24VDC IN
GAUGE,PRES:0-300
INDICATOR,FLOW,BRASS,SFI-300-1
SEAL, SHAFT, MAGNETIC P/N 2625MP3625
KIT:FOR SULFIDE,K-9510D CHEMETRICS INC
VIBRATION TRANSMITTER P/N 1062413-13
BEARING, SKF6214/C4, P/N 6214/C4S1VK176
MATL:MICA,MICA SZ 9 JERGUSON GA & VLV CO
STOP,PACKING,CARBON
ANALYZER,CHROMATOGRPH,REG.0-250 PSIG,STM
POWER SUPPLY
TEAM TRAILER - 51-142PRD
TEAM TRAILER - 51-143PRD
AMINE INJECTION
SEAL,MECH:SE04AA02A SUND,B20097 J CRANE
MOTOR, 5HP. TEFC, 184T, 1750RPM
MDL,INPUT,FAST SPEED, 2, P/N 1051931-11
SEAL ASSEMBLY,MECH,REPAIR.P/NA2R23333-03
AMMONIA SENSOR, OLDHAM
VALVE,ACTUATOR ASSY,(N.C.), 190537-100
ELEMENT- HEATING,BUELL PRECIPATOR 12W188
67TV1304 4" 3 WAY CONTROL VALVE PACKING
RING,ASSEMBLY,CARBON



BOARD,ANALYZ,CHROMATOGRAPH,PCB ASSY-INCO
ABSRBNT:BOOM,8" DIA X 10' ,5' LG,T270 3M
GLOVES:DISPOS,L,NON LATEX NEOP,SEC-375-L
Stem, emergency valve
CHEM:SODA ASH,50 LB BAG,#197-5997/SODA
LPG Merox Catalys UOP Merox WS-2
WEIGHT,GOVERNOR
GAUGE,PRESSURE,0-1500psi,4-1/2",AMETEK
OIL LEVEL SWITCH CAMERON AAP0540061-0019
PIN:TRIP,640374-1
H2S SENSOR, RAE SYSTEMS
CAL GAS-CALIBRATION 4-GAS MIX (100PPM CO
Hose, 3/4", Nitrogen, 50', 50lb., Dixon
PROBE, VIBRATION TURBO AIR 2000
TAG:OPERTR,YELLOW,(CAUTION)
THRUST BEARING, SKF 3310ZZ, FOR P-5186A
MDL,ADPTR,C-NET,1.5,REDUNDANT
BEARING SKF 3311 A/C3
PUMP,LUBRICATOR, ASSEMBLY, 91200
2000ppm, COMP: GAS(AIR METHANE)
VALVE, CHECK, ASSEMBLY
REGULATOR,REPAIR KIT,970016C1,SOLAR
SPRING,TAPPET
RAG:WIPE
BEARING, 7304 BECBM
ELEMENT, FILTER 70-30481-2
SEAL, SHAFT, MAGNETIC P/N 1250MP2000
SPRNG:641557-1,TRIP
PACKING,STEM,10 RINGS / SET
BEARING,BALL,P/N 7311BECBM
RAD. BEARING, SKF 3214A/C3, (1306809)
FILTER PAPER,FOLD CIRCLE,24 CM 09-832-D
BEARING, SKF 3310, P-5100, (1313351)
CABLE ASSY, IGNITION 84" 120710-1
WEIGHT,TRIP PIN
FISHER MODEL DVC 6030 -106 SERIAL #18673
CALIBRATION ADAPTOR, SUBASS, RAE SYSTEMS
SYRINGE, 5 ML, BAGS, P/N 03-0377-22
THRUST BEARING,SKF 7309BECBM,P-3640A
MANIFOLD,BYPASS,1/2 IN FNPT
GLOVES:DISPOS,S,NON LATEX NEOPRENE
SOLAR, COGEN 4, DETECTOR,GAS,HYDROGEN
CLAMP REPIAIR, 3",EMERGENCY,SKINNER
PAIL:3-1/2 GAL,MTL,L60H329B/80002
MODULE,I/P,TRANS 33B7074X022
SPRING,OVER SPEED,TRIP
GLOVE, CHEMICAL RESISTANT SIZE 7
VALVE,SOLENOID,3-WAY,175 PSI SOLAR
THRUST BEARING, SKF 3308 ANR/CR

MF-5104 A/B CRUDE FDF AUX SEAL KITS
GAUGE,PRES:0-600
GAUGE,PRES:0-60
GAUGE, PRESSURE,0-800psi, 4-1/2", AMETEK
GASKET,RING TB,SHT,ASB,150LB,1/16IN
SWITCH, PRESS, P/N 1053923-153
SERVICE KIT,FLEX COUPLING, P/N: F202SET
GAUGE,PRES:0-30
TOP BEARING ISOLATOR, P/N 041-12204/00
OIL, SYNTHETIC, ROYAL PURPLE SYNFILM, 5G
GASKET,GRAFOIL,P/N 0001733037
FILTER, ELEMENT 70-30481-4
RAD. BEARING,SKF 3212A/C3,D-ROW,P-5218
COPPER, REFRIDGE,3/4"X50ft. COIL
10 GAL BAG:GARBAGE,24" X 23" X 8 micron
LINER, TRASH, 33 GAL, 33x39x1.7 MIL
RELAY, 24VDC, 4 POT, 3A, 905623C1
PROBE, MAG SPEED 116523-2
GLOVES:DISPOS,MED,NON LATEX,SEC-375-M
FOIL:ALUM,VON KENRIC BRUSHES
ZIPTIE,CBL:SELF LKG,15" LG,NYLON,84-1-04
BATTERY,SIZE C,EN93 1.5 VOLT,EV-REDY
COLLAR, THRUST
SPRING, GOVERNOR, TERRY TURBINE
LOWER BEARING ISOLATOR, P/N 041-12204/00
PICK UP,MAGNETIC,1060334-1
BATTERY,SIZE AA, ALKALINE,1.5 VOLT
TEMPERED WATER FAN FOR VAC COLUMN
COOLING TOWER FAN
BACK LASH SPRING, P/N T14948
BEARING, THRUST, P/N 3311 ANR C3
CLAMP, REPAIR, 4",EMERGENCY,SKINNER
RING&SPRING,ROD PACKING,LOW PRESS,3/SET
COLLAR,THRUST
CABLE, IGNITION, P/N 919340C2
GLOVE, CHEMICAL RESISTANT SIZE 8
GLOVE, CHEMICAL RESISTANT SIZE 10
SHOE, BEARING
MDL,OUTPUT,DISCRETE,8, P/N 1051931-12
FUSE,POWER,TYPE SM5,4.16KV,300E,130500R4
GLOVE, CHEMICAL RESISTANT SIZE 9
RAIN COAT:LARGE
RAIN COAT:MEDIUM
SWITCH,DIFFERNT'L PRESSURE,P/N 1053929-6
PACKING, STYLE G58, 3/8" X 60', 375G58B
KIT, REPAIR FOR D10-PVC
PUMP, AMMONIA INJECTION PUMP
Baffle, Oil, 134860-1, (1072033)
BEARING SKF 3309

CONNECTION,GOVERNOR LINK
COIL FOR MK-5205 D AND E
BEARING SKF 6312 C3
MDL,OUTPUT,DISCRETE,16, P/N 1089240-5
LAMP,Multi vapor, 175U,47760
GAUGE, PRESSURE, 0-400psi, 4-1/2" AMETEK
SOL VLV REPAIR KIT
GASKET,FLEX,COUPLING,202.5,PN:40257-25
SEAL SET, TG
RAIN COAT:EXTRA LARGE
BEARING SKF 6214 C3, P-5135
GLASS,SIGHT,OIL,1OZ,1-3/4X2-7/16"
PLC OUTPUT MODULE, 1089240-4
PUMP,UNIT,LUBRICATOR,1/4 IN, 2- BOLT
CLAMP, REPAIR,1-1/2",EMERGENCY,SKINNER
Packing Ring, Carbon
VALVE,EXHAUST
MF-5104 A/B CRUDE FDF IB/OB OIL RINGS
MF-5104 A/B CRUDE FDF TRAPEZOIDAL OIL RI
RETAINER:HARD HAT GOGGLE,9652 CHECKERS
GLOVES:DISPOS,XL,NON LATEX NEOP
GASKET,STUFFING BOX
THROAT BUSHING, P/N 013-12300/00EC11
SYRINGE, 1 ML, BAGS, P/N 03-0377-20
GASKET,CASE,SPWD,304 FLEXTITE
REFILL,FOR PHENOL,R-8012D CHEMETRICS
GLOVES,CUT RESISTANT: MED
GASKET,OIL GUN,1.080X1.420X 3/16"THICK
SYRINGE,3 ML, BAGS, P/N 03-0377-21
CALIBRATION GAS--H2S 25 PPM
PAPER,PRINT/COPY:COPY,8-1/2" WD X 11" LG
NOX INL KIT,PUMP, 992879C1
BLK* :SUPERSACK,UN BAG
BRACKET,FACESHIELD,NYLON,FULL BRIM
GAS:J197120LA NORCO INC,METHANE,10,000
TARPAULIN:20' X 100', PE, 610C POLY AMER
Nut, Adj, P/N: 647893-1, (1035678)
CLIP,GLOVE,BLACK,P/N:G571939BK
UIM LIGHT
SOCK, BIO, MULCH FILLED, 12" X 20'
REFILL,CHLORINE R-2505
shim, thrust bearing
CLAMP, REPAIR, 1",EMERGENCY,SKINNER
BUSH,THROTTLE:PUMP,BUO2AA08DB1
DIA-VAC Pump Rebuild Kit #11311
MODULE,BATT ASSY,LOGIX,EXTERNAL
FACESHIELD,ELVEX,HG-35,VB10/20/30
BOWL:12 OZ,PAPER,GEPSX12SCDX
SEALANT:FAST GSKT,BLC/ODORLESS,ZEP

OIL,PUMP,GST 68,5GAL
RADIAL BEARING, P/N NU 211 ECJ
PROTECTOR,HEARING:EAR PLG,606 PURA-FIT
GASKET,DIST PIECE
Kit, Filter, Fuel, P/N 8007884R91
GASKET,FLEX COUPLING 40257-4,F201.5
BATTERY,AAA(8 PER PACK) EV-REDY
RAD. BEARING, SKF 6310ZZ, FOR P-5186A
SERVICE KIT,FLEX COUPLING, P/N:F201.5SET
blk*COGEN 4 LUBE OIL COOLER FAN
DETECTOR, TEMP RESISTANCE SENSOR 959839C
WRNCH:VLV,8",VW0 GEARENCH INC.
NOX CYL KIT,CYLINDER, PUMP, 999808C1
CLNR:BRAKLEEN NON-CHLORINATED,05088
SEALANT:FAST GSKT,BLUE,ZEP MANUFACTURING
NUT,SPRING
BEARING, SKF 3210,(1313339), FOR P-5151A
SEAL, CARBON 908754C1
BUFFER SOLUTION,PH 7.0,PINT
METER,FLOW,INTERNAL,COGEN
FUSE,1/4 AMP 24VDC
VALVE,LIQ FUEL TO TORCH SOLENOID
REPAIR KIT, VALVE, P/N .997655C1
GLOVE, MAXIFLEX, SMALL PIP34-874/S
SUPER LUBE,SILICONE GREASE
BLK:TRIP VLV CONN,646639-2 ELLIOTT
SCREW,ADJUSTING
SYRINGE, 10 ML, BAGS, P/N 03-0377-23
PCK,DISC:CPLG,300,SS,71 SERIES,729288
DETECTOR, TEMP RESISTANCE RTD PROBE 9641
BOTTLE:SQUEEZE,1 PT,PLAS,66106 UNITED
VALVE, SOLENOID, P/N 186286-2
GASKET,CASE,SPWD,304,1294D363AX1-S316-9
GLOVE,LEATHER,XL
GASKET,GAUGE GLASS,SHT,GRAF,SIZE 7
GREASE,INDUST:CPLG, (FALK LTG)
LIGHT, LAMP PILOT ALL COLOR ATEX, 106485
REGULATOR,PRESSURE,1/4 IN NPT 0-60 PSIG
SPRING,RING,CARBON
GSKT,FAST,HI TEMP RED, 8 OZ. CAN 12 EA
ziplock plastic bag
MDL,INPUT,DISCRETE,16, P/N 1051931-5
LUBRICANT,AEROSOL,CAN 13OZ,JB80
FG COMPRESSOR HONEYWELL MICROSWITCH
ELEMENT, KIT 25 GPM, 10 MICRON 186212-10
VALVE,GAS MNIFLD DRAIN PILOT,910380C4
KIT,PISTON
Cartridge, Organic vapor/Acid Gas, 3M
TISSUE:TOILET,KC07713 SCOTT

KIT, ELEMENT, FILTER 1064728-4
BACKLASH SPRING, DRESSER RAND,
GOVERNOR LEVER SPRING
5205 D AND E FLOTECH FLOAT SWITCHES
FLOAT SWITCH FOR 05D&05E COMPRSSORS
COPPER COIL - 3/8"X50'
GASKET,CASE,SPWD,304 FLEXTITE
BEARING,BALL,P/N 7309BECBM
SENSOR,MAGNETIC SPEED
TOWEL:FOLDED,SCO1804 SCOTT
GREASE CPLG,PN:WA63379
FILTER ELEMENT, AAP1404040-00223
BUFFER SOLUTION,PH 4.0,PINT
GLOVES,LEATHER,XXL
PACKING,VALVE STEM
GASKET, P/N 1W117165
LAMP,SODIUM,HI PRESS,MOGUL BASE,250W 786
LOCK,COMBINATION,RESETTABLE,BOTTOM DIAL
CVR:FIRE EXT,FE2W UFS
BEARING SKF 3213
BELT, FIN FAN, P/N 8MGT1200-12
PAINT:SPRY, GREEN
FILTER,ELEMENT,6 IN, MK-3632/A EOT BLOWE
Dust Pan, Long Handle, Hawaiian Style
BROOM, FLOOR, MEDIUM TAMPIC 24"
F-5103 & F-5153 BURNER TIP, 6-HOLE
LINER,BEARING
FILTER, INLET AIR TYPE V
BELT, V, P/N 3VX630, USE ON K-3643
BELT, V, P/N 3VX425, FOR COGEN 4
LAMP,MINI,CLR,CNDLBRA BS,6W 30V,S-6 BULB
LAMP,INCANDESCENT,100A/RS/STGPQ1/6 78667
SWITCH,PROXIMTY LMT
550 JET LUBE,LUBRCT:ANTI-SEIZE,1 LB CAN
GASKET,SPWD,304,ASB,600#,.125IN,8"
PIN,GOVERNOR VALVE
VALVE,RELIEF,1/2 IN 45 PSI
ABSRBNT:LOOSE GRANULAR,BAG,OBG7,0BG17.5
PAINT:SPRY,GRAY
SPRING,EMERGENCY
REFILL,FOR AMMONIA RANGE 0-25 &
WASHER,SPRNG:SEAT,646652-1 ELLIOTT
COOLING TOWER FAN
COOLING TOWER FAN
GASKET,BODY,2 IN-300#
SWEATBAND,HARDHAT,SNAP-ONUNIVERSAL
GAS:J1002 NORCO INC,ZERO AIR,0 PPM,103 L
HERRING BONE BELT FOR COGEN 4 LUBE OIL H
FILTER,OIL,3 MICRON 22-362

LUBRCTR:8 OZ ,30005 TRICO chicken feeder
GOGGLES,SPLASH,UVEX,GRAY BODY,CLEAR LENS
PCB ASSEMBLY,SUPPRESSOR 80-210500-90
CAN:SAMPLE RND,1/2 PT
HELMET:SFTY,WHITE,PLS PROVIDE P/N AIRGAS
BEARING SKF 6308 C3
GLOVE,LEATHER,SMALL
Clamp, Riser, 5". P/N: 05BRC
TAPE,SFTY BARR:CAUTION,3" WD,1000' LG
TAPE,SFTY BARR:DANGER DO NOT ENTER,3" WD
CUP:8 OZ,PAPER, DXE5338DX
TAPE, GRAFOIL, PN: 49220-0064, 1"
OIL,INDUST:SHC 630/HT 220
REPAIR KIT, FOR AIR ACTUATOR, TR2
CLNR,HND: GOJO
GSKT:SS/GRAFOIL FILLER,SZ 9 V-1
BROOM HANDLE, M/T, 1-1/8", 5'
CHEM:GLYCERIN,GTO180-1GAL HAWAII CHEM
PAINT, SPRAY,A01510 OSHA BLUE,P/N:060579
BAG,RESPIRATOR STORAGE,PN:ALE2000
O-RNG:14-040UA SUNDSTRAND FLUID HANDLING
GASKET, EXHAUST 36' DIA
PAINT:SPRY,WHITE
GASKET FOR NEW COGEN PLANT
GASKET 4 INCH 150 CLASS FULL FACE
BEARING,BALL,1 ROW,LIGHT RAD SKF 6212
RESPIRATOR,HALF FACE,SMALL,3M,6100
RSPIRATOR,HALF FACE,MED.,3M,6100
RESPIRATOR,HALF FACE,LRG.,3M,6100, LGE
PROTECTOR,HEARING:EAR PLG,B223100 CABOT
SPARK PLUG 903316C1 2EA/PH
BEARING SKF 6210 C3
OILER,TURBINE
CUP, CALIBRATION, OLCT200
GASKET,CASE,304
GASKET, CASE, SPWD, 316 GRAF
POROUS KYNAR FILTER ELEMENT CARTRIDGE
RETAINER,LOCK WIRE,TRIP
PAINT:SPRY,ORANGE
PLATE:DXEUX9WS,9",PAPER
Gloves, Nitrile, 100/box, XXL, 705PF
GASKET, GRAPHOIL, COVER PLATE, E-5201
LINER,BEARING,LOWER C-308-025-002 REV 3
CVR:TOILET SEAT
GLOVES:DISPOS,XLARGE,NBR,MCR NO-123-XL
RESERVIOR, OIL AAP1404040-00201
RAINGEAR:HOODED JCKT/PANTS,2X-L, YELLOW
SHIELD,SFTY EQUIP:FACE,B160030 HARRIS
LINER, TRASH, 55 GAL, 43X55X1.3 MIL

Connector, Male, Dual Lok, 3/4" Adaptor
SPRING,LEVER GOVERNOR TRIP LEVER, PART 3
CHANNEL LOCK:12" LG,442 A
SOLUTION, STRG, PH ELECTRODE
RELAY,DPDT,24-125VDC,10A, P/N 1016767
SEAT:SPRNG LWR,646660-1 ELLIOTT
CAN:SAMPLE RND,PAINT,QT,60401 PARAMOUNT
BEARING SKF 6310 C3
GASKET FOR SIGHT GLASS
BROOM, FLOOR FINE FLG/GRY 30" 3730
GOVERNOR LEVER
TRIP LEVER
QUARTZ BY STONEL MODEL #QX2VB02SDM SERIA
FUSE,POWER,TYPE EJ 1-3E
GLOVE, MAXIFLEX, X-LARGE, PIP34-874/XL
Clamp, Riser, 4". P/N: 04BRC
BULB, 90 WATT, 2 PACK
GASKET, 6" 150# FULL FACE
COUPLING KIT 074065-004 203813 AMER DRIV
PAINT, SPRAY, RUSTO, GRAY PRIMER
OIL COOLER-GASKET KIT
PAINT:SPRY,BLC,67220
KIT,SERVO/STARTER OIL,FILTER
BEARING SKF 3306
TAPE,ELEC:INSULATING,3/4"WD X 66' LG
BUFFER SOLUTION,PH 10.0,PINT
CLAMP, REPAIR, 2",EMERGENCY,SKINNER
PAPER,TOILET,JUMBO ROLL,12PK.,TOUGH GUY
LAMP,APPLNC,BAYONET,25W 130V GE 25T8DC/I
BELT, V, P/N BP37, FOR COGEN 1,2,3
Broom, House, Angle, Flag, 463 HOB
GLASS,SIGHT:GEARBX,GA01AA05 SUNDSTRAND
GLOVES,LEATHER,LARGE
TIMER,WATCHDOG,ATEX, P/N 1063140-3
CALIBRATION ADAPTOR, RAE, 033-3801-000
GASKET,IGNITOR
GASKET,FLEX COUPLING, F202, P/N:40257-24
Connector,Female, Dual Lok, 3/4" Adaptor
GASKET,SOOT BLOWER 53A012-350S
SPRING,TRIP
GAUGE, LIQ FILLED 1/4" BTM MNT 0-30 PSI
#3 WASHED GRAVEL, 3/4" ROCK
RADIAL BEARING COVER GASKET, P/N 017-109
THRUST BEARING COVER GASKET, P/N 017-105
SIL-GLYDE,LUBRCT:SIL-GLYDE,765-1351 NAPA
PAD,CLEAN:SCOURING,GREEN
GASKET,HEX,SHT,CI RUBR,1/16IN,15 X 20 IN
GOGGLE,UVEX,S3960C,STEALTH,GRY/CLR AF
O-RING 3/8" X 78-1/2" G-0823 V5129

Scrubs In A Bucket
RING,OIL
DETECTOR:H2S,1-200 PPM,8101831 DRAEGER
SOL,STABLZR,AMMONIA CHEMETRICS A1500
Clamp, Riser, 2-1/2". P/N: 2HBRC
KIT, MAINT, FILTER, GAS/AIR 949433C1
BEARING, SKF 6206, P/N 62062RS,2RSJEM
Clamp, Riser, 2". P/N: 02BRC
Helmet, Full Brim, White, Ratchet
55 gal LINER:TRASH,0609236,55 GAL
Clamp, Riser, 1-1/2". P/N:01HBRC
GASKET,CASE,IRON ASB
Clamp, Riser, 3". P/N: 03BRC
GASKET,BEARING COVER
MOTOR,600HP,TEFC,35CG5012Z,1195,2300V
F-5104A GROMETT KIT R SERIES SN#132192 B
PAINT:SPRY,YELLOW,67209
SPOON:WHITE,IPBIP203S
REPAIR KIT,VALVE,SOLENOID
GASKET, NON-METAL COVER EB
DETECTOR,LEAK:8 OZ snoop
CLNR:DISINFECTANT,SPRY
SOCK:WIND CONE,ASX1896 SFTY FLAG CO.
CLNR:DETERGENT (DAWN ) GALLON
U-BOLT, 3" W/ HEX NUTS. P/N:03UB
CASE GASKET, 017-12685-00-RA01
TIMER,MULTIFUNCTION, P/N 1063140-1
CLNR,GLASS: WINDEX
U-BOLT, 2-1/2" W/ HEX NUTS. P/N:2HUB
GASKET,COVER
GASKET, CASE, SPWD, 304/APX2
GASKET,FILTER,HOUSING,BUNA-N
LAMP,FLOOD LIGHT,MED SKIRT,150W 78667738
GASKET,CASE,IRON,ASB
SPRING,METERING
LAMP,AIRPORT,CLEAR,MOGUL BASE,620W,120V
LAMP,SODIUM,CLEAR,MOGUL BASE,400W 786677
GLOVE, MAXIFLEX, LARGE,PIP34-874/L
SEAL, METALLIC 962094C1
INSECTCD:WASP KILLER SPRY,PT 515 14 OZ.
O-RING, 31.625 ID 210 W VITON 1047186
Glasses, Clear, A805, UVEX
O-RNG:SUND 14-046UC
Nipple, Pipe, SS, 1/4 x 3, NPT, SCH 40
MOTOR,30HP,TEFC,326U,1775,MK5126
ADHV:SUPER GLUE,765-1262 NAPA
GLOVE, LEATHER,MED.,DRIVERS GLOVE
PIN,GOV.,LEVER,WORM KEY,DRESSER
TAPE,RUBBER,SPLICING,.030X3/4"X30'



Aerosol Duster 10oz cans - Brand DustOff
BLT,STUD:INDUCER.1/2" X 2-3/4", A193
Crude Atmospheric Furnace Hangars
LAMP,MULTI-VAPOR,E28,CLEAR,PN:MVR175/U
GASKET, BLEED VALVE, P/N 173533-1
NUT,CAP,FISHER,1U910235032
KIT,ELEMENT,O RING P/N H9043-V
TAPE:1" WD X 50' LG,GRAPHITE,2551-1
GAUGE,INSTRUMENT,SUPPLY,2" PLASTIC,0-60
MOTOR,25HP,TEFC,284TC,1770,MP6241
FLTR,OIL:GEARBX,HP-1 FRAM
Clamp, Riser,1". P/N:01BRC
BEARING,STEAM END, ASSEMBLY
OIL,HYD,PAIL,5-GAL. PAIL, RANDO HD
MOTOR,60HP,TEFC,364T,1780,MF2301,EM4314T
GASKET,COVER,10.688 X 11.313 X 1/8 IN
Clamp, Riser, 6". P/N: 06BRC
U-BOLT, 2" W/ HEX NUTS. P/N:02UB
MOTOR,100HP,FC,445US,3555,A100P2C
CAP,VALVE STEM,3/8-1.25 IN
POWERFLEX 700,AC DRIVE,20BD156
WIPES,RESPIRATOR,5X8,ALC. FREE,100/BOX
GREASE PLUG
GASKET, P/N H38096
BUSH,DR:SK,QD,SK 1-7/8
Clamp, Riser,1/2"-3/4". P/N:0.7BRC
TOWEL:ROLL,411866 SCOTT
TAPE:DUCT,2" WD X 60 YD LG X 8 MIL THK
DETECTOR,GASOLINE,PASTE,2.25 OZ. JAR
PAD,CLEAN:SCOURING,RED,86 FASTENAL
GASKET, P/N 8274D1
U-BOLT, 1-1/2" W/ HEX NUTS. P/N:1HUB
REFINERY AIR COMPRESSOR
GASKET,O RING,SOLID,VITON,ARP568-243
O-RNG:14-004UC SUNSTRAND FLUID HANDLING
BEARING,BALL,1 ROW,LIGHT RAD,6207 JEM
SEAL,SLEEVE,PN:441823500
U-BOLT, 1/2" W/ HEX NUTS. P/N:0.5UB
U-BOLT3/4" W/ HEX NUTS. P/N:0.7UB
GASKET,STUFFING BOX
ADAPTER, 3/4" DUAL LOK MALE, DXPM12
U-BOLT, 1" W/HEX NUTS. P/N:01UB
CLNR:SCOURING,PWDR
GASKET, P/N X1561T25F
RELAY,PLC,DC,6A,C1D2,ATEX, P/N 1061979-1
MOTOR,30HP.286TS,3520,MK5198D
Broom, House, Com Heavy, P/N:FP850
GASKET,DJ,CS,ASB,3/32",2-7/8X3-1/4"
BRSH,WIRE:L,BRUWIR120 VON KENRIC BRUSHES

GASKET,O RING,SOLID,VITON,ARP568-237
REPAIR KIT, SOLENOID VALVE,951341C1
DELETE TAPE,VINYL,ELECTRICAL,3/4"X66'
WASHER,LK:IMP TAB,WA02AA01DB1 SUNDSTRAND
GASKET,BEARING COVER
GLOVE, MAXIFLEX, 2X-LARGE, PIP34-874/XXL
BRSH,PAINT:3" BRISTLE
FUSE, MLM CARTRIDGE
MODULE,TC,1RTD,8CH,1051931-33
MOTOR,40HP,TEFC,364T,1190,MF5198/P5115
Disinfectant, Purell, Spray Bottle
GASKET,O RING,SOLID,VITON,ARP568-245
FORK:IPBIP201F
U-BOLT, 4" W/ HEX NUTS. P/N:04UB
GLOVE, CHEMICAL RESISTANT SIZE 11
GASKET,GAUGE GLASS,CUSHION,COMPOSITE
GASKET, P/N W153210
CARTRIDGE,PARTICULATE FILTER,5P71
CURRENT TRANSFORMER,PN:781-122MR
GASKET,COVER,BLEED VALVE
GAUGE,INSTRUMENT,SUPPLY,1.5"PLSTC,0-30#
RETAINER,FILTER,ADAPTOR TO ADD DUST FILT
GASKET,SPWD,304 ASB,3/16IN,3-3/8X4X3/16"
GREASE,INDUST:CHEVRON:BRG,NLG12
KEY, THRUST COLLAR
BLOCKR,5HP,TEFC,184T,1750,MP3636,EM3615T
GASKET,STUFFING BOX
PAINT,ENAML,SPRAY,GLOSS,MANDARIN OR,16OZ
GASKET,INJECTOR
GASKET,HEAD
PACKING,GLAND
LAMP.MULTI-VAPOR,1000W,MVR1000/U
MOTOR,75HP,TEFC,365TS,3565,MP6701MK5126
Acid Suit Faceshield Replacement 8x17"
MOTOR,3HP,56,182T,1755,460,MK5176,EM3611
MOTOR,50HP,TEFC,326T,1775,K5316EM4115T
TRANSPARENT GAGE BOLT
O-RING:456,END CVR,20A11CM250 DRESSER
BRSH,PAINT:2" BRISTLE,5140-2 WOOSTER S &
MOTOR,25HP,TEFC,324US,1780,460,P5204
CLNR:BAKING SODA,VON KENRIC BRUSHES
1" BRISTLE BRSH,PAINT:1" BRISTLE
MOTOR,30HP,TEFC,286T,1760,MF/K3632A
MOTOR,5HP,TEFC,112,3505,K6721A/B,MM11042
O-Ring, P/N: P2-18.936GAG69, (1067525)
MOTOR,5HP,TE,184TC,3475,MP2307,CEM3613T
PRESSURIZED ACCUMULATOR
MOTOR,10HP,56/TEFC,215T,1770,MK6725, REP
POWERFLEX 700,AC DRIVE,20BD096

GASKET,EFFLUENT AREA DRAINAGE LTF
3/4 BOLTS/WASHERS
MOTOR,20HP,TEFC,256T,3510,P2081A,REPAIR
MOTOR,,350HP,TEFC,N449TSC,3580,K5205E
MOTOR,200HP,TEFC,509LL,1190,MF5104B
DASH POT, CWT
BEARING, CONE TAPERED, ROLLER, (1341582)
SEAL, INDUSTRIAL
SEAL, INDUSTRIAL
BEARING, CONE TAPERED, ROLLER, (1341584)
KIT, CWT DASH POT REPAIR
PUMP, L/O
BAFFLE, OIL
BEARING, CONE TAPERED, ROLLER (1341587)
BEARING, CONE TAPERED, ROLLER, (1341581)
BEARING, CONE TAPERED, ROLLER, (1341585)
BEARING, CONE TAPERED, ROLLER, (1341583)
HUB, COUPLING (1063222)
HUB
BAFFLE, OIL GEAR
OIL SLINGER
SIGHT GLASS, CWT GEARBOX
GSKT:OIL PUMP,T1,5856C1T1 DRESSER-RAND
BRG,SLV:R16430 DRESSER INDS INC,BUSH
O-RNG:OIL PUMP HSNB,20A11CM451 DRESSER
BRSH,PAINT:1/2" BRISTLE,VON KENDRIC
PUMP:OIL,W104674 DRESSER INDS INC
NUT,CAP:62028725 DRESSER RAND
GSKT:MNFLD,T6,32153801 DRESSER-RAND
O-RNG:ELMNT,95022158 DRESSER RAND
RNG,PSTN:CYL,2",X1244T2 DRESSER INDS INC
GAUGE,LVL:OIL,6453B1 DRESSER RAND
RNG:CHK,Y1040T1 DRESSER RAND
O-RNG:20A11CM010 / 010V15
GSKT:MAIN BRG,4242B1 DRESSER-RAND CO.
GSKT:PARTITION,5804B1 DRESSER-RAND CO.
GSKT:BOTTLE,37A11C3 DRESSER-RAND CO.
SHOE:XHEAD,7142D1 DRESSER-RAND
GSKT:SETSCREW NUT,T4,X1131T4 DRESSER
GSKT:SETSCREW NUT,T3,X1131T3 DRESSER
GSKT:CVR,T5,X1131T5 DRESSER INDS INC
GSKT:VLV PLATE,T6,32172942 DRESSER-RAND
GSKT:MNFLD,T6,32153827 DRESSER-RAND
GSKT:COMPRSR,W67095 DRESSER-RAND CO.
PUMP:OIL,30427140 DRESSER-RAND CO.
PSTN:3-3/4" CL,R73913 DRESSER-RAND CO.
VLV,CHK:1/4",R85226 DRESSER-RAND CO.
COOLANT:COMPRSR,20 L,38459582 DRESSER
O-RING:CASE VENT GSKT,002-272-220 DR

O-RNG:315,BUNA-N,0.787" ID,1.207" OD
TISSUE,LENS:6BW-124155 ALLEGRO
SHIELD,SFTY EQUIP:WELDER FACE,CLEAR
SHIM:W26430C DRESSER RAND
PIN:CLINCH,230024V2 DRESSER RAND
SEAT,VLV:35GA 30217608 DRESSER RAND
SEAT,VLV:50GA 30229538 DRESSER RAND
VLV:W776464-000 (FRML:T118750A) DRESSER
COLLAR:PSTN,5255B1P4 DRESSER RAND
DEFLECTOR:SEAL OIL,300018AK7 DRESSER
PLATE:STOP,F42408AT1 DRESSER RAND
SEAT,VLV:F42407AT1 DRESSER RAND,HP
WRNCH:REED OPERTR,1/8" TO 1",RF10-02121
CLMP,PIPE RPR:SLIT SLV,3" PIPE,1000 LB
KIT:REP,FOR VLV,R546X000022 FISHER
DETECTOR:CO2,0.1-6 PPM,CH23501 DRAEGER
CHARGE BY CASES: PINK,LOTION: SOAP,HAND
CLNR,HND:SOAP,VON KENRIC BRUSHES
RAIN COAT:SMALL
SPRNG,VLV:PP-404 DRESSER RAND
SPRNG:PP405 DRESSER RAND
INSERT,CPLG:8JE WOODS
SEAL,OIL:LIP,416664 FEDERAL-MOGUL CORP.
ROTOR:CHROMOLY,663279-18 ELLIOTT COMPANY
UNLDR,STEM (LP ) W40711
RESP:DISPOS,PARTICULATE,8210 3M
CHANNEL LOCK:9-1/2" LG,SNAP-ON TOOLS
PAPER,TEST:PH,0-14 PH RANGE,BDH35309.606
OIL,INDUST:GEAR LUBE,80W90 VISCOSITY,35
Block:CONFINED SPACE ENTRY,LOG
blk **BAG:SACK,SUPERSACK HELIOS
33 gallon LINER:TRASH CAN,5135 0712 I
LINER:PTX-023B POWERTEX,INC.,20',PLAS
RAINGEAR:HOODED JCKT/PANTS,3X-L,YELLOW
RAINGEAR:HOODED JCKT/PANTS,XL,YELLOW
RAINGEAR:HOODED JCKT/PANTS,L,YELLOW,POLY
RAINGEAR:HOODED JCKT/PANTS,MED,YELLOW
RAINGEAR:HOODED JCKT/PANTS,S,YELLOW,POLY
HELMET:HEADGEAR,B150015 BULLARD
GOGGLES:CUTTING,S379 UVEX
GLASS,SIGHT:OIL,PLEASE PROVIDE P/N P-K
GLASS,LVL GAUGE:PLAIN,SZ 9,PLAIN SZ 9
GSKT:VLV PSTN SEAT,H-1,X1008T13 DRESSER
GSKT:L,THERMAL BARRIER,GK01AA02
GSKT:UNLOADER,W37992 DRESSER RAND
GSKT,LVL GA:SZ 9,GSK SZ 9 JERGUSON GA &
GAS: Bottle, 5 gas mix (GASCO)
CUP:RL EDGE,4 OZ,25K814 WW GRAINGER INC
BLK *CVRALL:FRC,TAN,NOMEX IIIA,WORKRITE

RAIN COAT:3X-L
RAIN COAT:2X-L
CVRALL:DISPOS,XL,B2701541 TEMPRO
CVRALL:DISPOS,L,B270154 TEMPRO
CVRALL:DISPOS,MED,B2701539 TEMPRO
CVRALL:DISPOS,S,7212 SM SFTY SYSTEMS
CVR:HOSE REEL,1-1/2" X 100',FD-47 EXCEL
CORD:SASH
HERBICIDE:WEED KILLER,30 GAL
CHEM:ISOPROPANOL
BRSH,WIRE:S,BRUTOO120 VON KENRIC BRUSHES
BRSH,PAINT:4" BRISTLE
BELT,V:5VX750
BRG,BALL:6212 2RS SKF .,2.3622" ID
BRG,BALL:5311 FAFNIR BRG CO.
SALT, CHEM:.,KD COARSE,BULK,706108 UNIVAR
SLV,SHFT:SL02AA01DB1
PAINT:SPRY,RED,2108 KRYLON
SPRNG:PP464 DRESSER INDS INC
WRNCH,PIPE:HEAVY DUTY,8" LG,CI
NETTING:SFTY,4' X 4',4848 CAGEX
GAUGE,PRES:0-3000 PSI,PSV
GAUGE,PRES:0-1000 PSI,PSV
GAUGE,PRES:0-200 PSI ,PSV
GAUGE,PRES:0-60 PSI,PSV
POUCH:ZIP ENV,VINYL 9 1/2"x 16" rev2
CLNR,crude clean :LIQ,350 GAL TOTE
CAN:SAMPLE,1 QT,TIN,SCR CAP,60175/60239
GAS:H2S,75 PPM, CYL
GAS:H2S,165 PPM, CYL
GAS:O2, N2,5% O2 BAL N2, CYL
GAS:O2, N2,9% O2 BAL N2, CYL
GAS:NO, SO2,137.5 PPM NO
GAS:NO, SO2,62.5 PPM NO
GAS:15PPM SO2, 40PPM NO
GAS:NO, SO2, N2,226 PPM NO
GAS:O2, N2,2%O2 BAL N2
PSTN:POCKET UNLOADER,3.88 UL47-18EE
GLND:POCKET UNLOADER,D46045T1 DRESSER
COLLAR:POCKET UNLOADER,W37994 DRESSER
GLOVES:DISPOS,L,NBR,MCR NO-123-L
BRG:SKF 6212 J/C3 SKF,RADIAL
XMTR,DP:0-1000 IN H2O
GAS:210 PPM,H2S W/N2 BAL,EPA
GAS:21% O2 W/N2 BAL,EPA CYL
CVR: FIRE,EXT; WFE350
CVR: FIRE,EXT; WFE150
Nitric Oxide - 15PPM NOX
Nitric Oxide Low - 90 PPM NOX

CGA Sulfur Dioxide/Oxygen Low - 125 PPM
CGA Sulfur Dioxide/Oxygen High - 275 PPM
SO2/O2 Low - 50 PPM SO2, 2% O2
SO2/O2 High - 450 PPM SO2
SO2/O2: 450 ppm /8%
NITROGEN Ultra High Purity
CGA NITRIC OXIDE LOW-25 PPM
CGA NITRIC OXIDE LOW - 55 PPM NOX
12.5%: 2comp N2+ Hydrogen sulfide
2 comp N2+ Hydrogen sulfide
700 PPM CO,700 PPM H2,3.5%
Capillary 0.015 inch (purple)
Ammonia Anhydrous
Hydrogen Ultra Pure
Dessicant, Anhydrous
F603 O-ring for cvr gasket
Low BTU
Med BTU
High BTU
BLKGSKT,BLUE, 8 OZ. CAN 12 EA/BX
CONDULET,OUTLETBODY,OBRND,FORM 7.1/2"
CONDULET,OUTLET,OBRND,GALV,FORM 7,3/4"
BLOCK KIT,BACKLIGHT UIM,VANTAGE
BEARING,PN:T100970
CARTRIDGE,ORGANIC VAPOR,FILTER,6001
SERVICE KIT,FLEX COUPLING,PN:F202SET
FACE SHIELD,HEAD GEAR,POLY BL/BLK
OIL,MEROPA SYNTHETIC,EP220,5GAL
GAUGE,3" DRY,0-400#1/2"PORT,BACK
REGULATOR,NITROGEN,HIGH PURITY
MOTOR,200HP MF-5104B
RESIN,C(H)CATION,DOWEX,NEW
RESIN,A(OH)ANION DOWEX, NEW
BLK*CONDOUTBDY,OBRND,FNPT,FORM 7,3/4" 7
*BLK*COVER,BLANK,STL,OBRND,1/2 IN 782274
*BLK*COVER,BLANK,STL,OBRND,3/4 IN 782274
*BLK*COVER,BLANK,STL,OBRND,1 IN 78227400
*BLK*COVER,BLANK,GALV STL,OBRND,1-1/4 IN
*BLK*GASKET,COVER,SHT,NEO,1/2 IN
*BLK*SEALING FITTING,STL,FNPT,VERT,1"
*BLK*SEALING FITTINGSTL,FNPT,VERT,1/2"
*BLK*BUSHING,CONDUIT END,1/2 IN
*BLK*BUSHING,CONDUIT END,3/4 IN
*BLK*BUSHING,CONDUIT END,1 IN
*BLK*BUSHING,CONDUIT END,1-1/4 IN
*BLK*CONNECTOR,LIQDTIGHT,GRND,1/2 IN
*BLK*CONNECTOR,,LIQD TIGHT,GRND,3/4"
*BLK*CONNECTOR,ELL 90,STL,LIQ ,GRND,1/2"
*BLK*CONNECTOR,ELL90,STL,LIQGRND,3/4"

*BLK*CONNECTOR,ELL 90,STL,LI
*BLK*CONNECTOR,ELL 90,GALV STL,3/4"
*BLK*WIRE,STR,CU,600 V,14 AWG BLK
*BLK*WIRE,STR,CU,600 V,14 AWG GRN
*BLK*WIRE,STR,CU,600 V,14 AWG RED
GASKET,JKT,MON,ASB,1/8IN,4"X2-7/8"
GASKET,SPWD,304 ASB,.175IN,3-1/8X3-5/8"
GASKET,RED VALVE
GASKET,SEALANT,1 IN X 15 FT
HOLDER, CARD PROTECTOR, 9 1/2 X 13 IN.,
GASKET 172523-2
OIL, SINGLE FILTER ELEMENT KIT
COUPLING GASKETS, MAIN DRIVE
COUPLING O-RINGS, MAIN DRIVE
COUPLING, DRIVE PUMP
RTD W/ FITTING
CAP,VALVE STEM,1 - 2-1/4 IN
FLOTECT, FLOW SWITCH, P/N V4-SS-2-U
FLEX CPLG,COMPLETE,PAIR,1"MAX BORE ROUGH
GAUGE,PRESSURE,4-1/2" PHEN,1/2 BTM,0-30
GASKET,GAUGE GLASS,SHT,GRAF,SIZE 9 V-131
GASKET, GAUGE GLASS, GRAF, SIZE 5
GAUGE,INSTRUMENT,OUTPUT,1.5"PLSTC,0-30#
MDL,INPUT,FAST,TC/RTD,8, P/N 1051931-33
*BLK*CNTRLR, PRCSR, 8MB, P/N 1046415-25
MDL, I/O, FAST ANALOG, 2/2, ISOL
GASKET,VALVE NUT
GASKET,COVER 001-446-038 FOR CLARK COMP
VALVE,BLEED,PNEU125157-102
GASKET,VLV CVR,1ST STG,6-1/8X6-1/2X1/16"
GASKET,MANIFOLD
GASKET,VALVE GUIDE
FUSE, MAIN BOARD(F200), P/N 300-8777
GASKET,VALVE COVER
GASKET,VALVE COVER
SEAL ASSEMBLY,MECH, REPAIRABLE, FLOWSERV
GASKET, P/N 30A11F0048X12
PIN,TRIP
IGNITOR,TORCH
SWITCH,PRESSURE
BACKUP OVERSPEED MODULE, P/N 1053834-6
HOSE, NOMEX 1.25
GASKET,VALVE SEAT
FILTER,400 MICRON,COGEN,SOLAR 960329C1
BUSHING,COUPLING 301315-18
SENSOR,TEMP
KIT,SHEAR BOLT P/N 8009361R93
KIT,VALVE,DISCHARGE
SOLAR, COGEN, MODULE,FLEX,DISCRETE,16 IN

BASE, TERM SRING, 3 WIRE
BASE, TEMP, SPRING, FLEX
BASE, GENERIC, SPRING FLEX
GASK,CASE,SPWD,304,13-1/8X13-27/32X.187"
BELT, V-DRIVE, COGGED, 5VX750
RING & SPRING,PISTON ROD
GASKET 12 INCH 150 CLASS FULL FACE
BLOCK **GASKET,CASE,13.156X13.734X.175"
BLOCK** RPM 1021 WITH EPDM O-RINGS
SEAL, SHAFT, MAGNETIC 1937MP2687
REFILL,PHENOL P/N R-8012
*block*Baffle,Oil, PN:134860-1 Dresser
GASKET,O RING,SOLID,VITON,ARP568-224
OIL GUN,BURNR,49-1/4 IN OVERALL LENGTH
KIT, INTERCOOLER SERVICE
CONDUIT,FLEX,GALV STL,PVC,LIQD TIGHT,1/2
BREAKER,CIRCUIT,5KV, 250MVA 05PV0250-32C
LINER,BRG,INBOARD,FORCE DRAFT,3-15/16"
FILTER,LUBE OIL,2 FILTERS/BX 120411-400
PURGE SYSTEM ASSEMBLY BLOWER/COMPRESSOR
FILTER SOCK 10-MICRON, P/N: PES 10 P2SH
FILTER SOCK, 25 MICRON, P/N: PES 25 P2SH
FILTER,ELEMENT FPA 48000BP
FILTER,MEDIA,ACTVTD CARBON,400#CANNISTER
OIL,SYNTHETIC,DRUM,55-GAL,ROYAL PURPLE.
REUSE NUMBER
OIL,POLY ALPHA,JUG,6EA.GAL/CASE
- FERRULE,SET,316SS,1/2,SS-81
FERRULE,FRONT,316SS,5/8,SS-1013-1
FERRULE,BACK,316SS,5/8,SS-1014-1
UNIQUE PORTAFEED,INDUST,UNI,345 GAL
Bik**HELMET:SFTY,BLUE,BULLARD
block TOWEL:ROLL,414 SCOTT
BLK* SALT, CHEM:,KD COARSE,BULK,706108
Gallon Paint Cans
Nalco Inoc 7161
#20 SILICA INDUSTRIAL SAND
OIL,GST 32 TURBINE,55 GAL DRUM
Salt/Chloride Calcium
GASKET,PN:30A11F00
- C-3701 2YR SPARE Unloader K
- C-3701 2YR SPARE Gasket, Di
- C-3701 2YR SPARE Gasket, Ou
C-3701 2YR SPARE Renewal Ring Set
- C-3701 2YR SPARE Ring Set,
- C-3701 2YR SPARE shell, Mai
C-3701 2YR SPARE shoe, crosshead babbitt
- C-3701 2YR SPARE Bushing, C



- C-3701 2YR SPARE Bearing, C
- C-3701 2YR SPARE Bushing, C
- C-3701 2YR SPARE Gaskets, F
BLK**C-3701 2YR SPARE Seal, Crankshaft
- C-3701 2YR SPARE Pump, Oil
- C-3701 2YR SPARE Valve Kit,
- C-3701 2YR SPARE Valve Kit,
- C-3701 2YR SPARE Gasket, Va
- C-3701 2YR SPARE O-Ring, Va
- ANALYZER, CONDUCTIVITY, CAL
- C-3701 2YR SPARE O-Ring, Pa
- C-3701 2YR SPARE Gasket, Pa
- C-3701 2YR SPARE Renewal Ri
- C-3701 CAP SPARE Shaft & Ge
- C-3701 CAP SPARE Inlet Valv
- C-3701 2YR SPARE Ring Set,
- C-3701 CAP SPARE Shell, Mai
- C-3701 CAP SPARE Pin, Cross
- C-3701 CAP SPARE Bushing, L
- C-3701 CAP SPARE Connecting
- C-3701 CAP SPARE Crosshead
- C-3701 CAP SPARE Discharge
C-3701 CAP SPARE Packing Complete
- C-3701 CAP SPARE Ring Set,
- C-3701 CAP SPARE Ring Set,
- C-3701 CAP SPARE Piston
- C-3701 CAP SPARE Rod, Pisto
- C-3701 CAP SPARE Liner
- C-3701 Foundation Bolts
- C-3701 Temperature Indicato
blk*C-3701 Temperature Indicator and RTD
- C-3701 Scalable Level Trans
- C-3701 Solenoids, Panel, PC
SWITCHGEAR,480V,20KB,ELECTROSWITCH
FUSE,POWER,BOLT ON,4.8KV 6R CUR
FUSE,POWER,150V/150A
GASKET,O RING,SOLID,VITON,ARP568-272
GASKET,RING,SPWD,304,ASB,150LB,.175",12"
GASKET,RING,SPWD,GRA,300LB,.175",2"
GASKET,HOUSING GK-01AA-01 LINE MOUNTED V
GASKET,TUBE,1/8 IN X 4-5/16" X 4-15/16"
GASKET FOR SIGHT GLASS
ACTUATOR VALVE ASSY
TRANSM,FLOW,(1727437)
BALSTON FILTER PN: 701950-DX
LINER,BRG,OUTBOARD,FORCE DRAFT,3-15/16"
INDICATOR,FLOW,BRASS SFI-100-1
SEAL,COOLER/HEAT EXCHANGER,3/4 IN
TRANSD,sys press,AAP0540089-00216,CAMERO

COUPLER, OPTO
GASKET, UIM
P-5159A MECH SEAL ASSY,REPAIRABLE,COMPLE
NON-STOCK
PASTE,INDICATING,WATER,3 OZ TUBE 12/CASE
FILTER PAPER,FOLD CIRCLE,32 CM (LAB SUPP
COGEN/CRUDE CON EX INCLUDING STAND
EXCHANGER TEST RING - RACK 1
EXCHANGER TEST RING - RACK 36
EXCHANGER TEST RING - RACK 36
EXCHANGER TEST RING - RACK 39
FIELD MACHINING TOOL AND MOUNTING PLATES
EXCHANGER TEST RING - RACK 21A
EXCHANGER GASKET - E 5166C
GE 469 RELAY
GE 369 RELAY
FUEL OIL
F-5201 SUPERHEATER
AIRATION - BLUE SHROUD/FLOAT ASSEMBLY
MK-5173/76 FIN FAN BLADES
COMMON SPARE FOR K5173
MOTOR;1HP,TEFC,182,1760,230/460,MP6231
COOLING WATER TURBINE
SPARKLESS TRIP LEVER
VALVE CONNECTION LEVER
GOVERNOR LEVER SPRING
TRIP SHAFT SPRING
TRIP LEVER SPRING
VALVE LEVER
Washer, Service, P/N: E62901-1 (1035702)
Washer, Service, P/N: E62901-1 (1035702)
Transducer, PRESSURE, 0-200psi
Collar, Space, Assy, T97(1073637)
Seal, Shaft, Isomag, 1375RSA2937
Plate,Valve seat,P/N:30318869(1057581)
blockt,Bushing,Trip,P/N:T129865A03
Stem,valve assembly,P/N:T31560 (1058642)
Backlight, UIM, Kit, Vantage
delete TAGS, Danger Permit Required
Coupling, Gear, Amerigear(Zum),F201.5SB
SEAL, FLOWSERVE, A2R53763-01, QBW, 2375
SEAL, FLOWSERVE, A2R21389-01, QBW, 2500
GSKT,DBL. JACKET,BLEED VALVE
Calibration Gas - 10ppm Methane
Positioner, Valve / Critical Spare
Transmitter, Differential Pressure
BELT, FIN FAN, P/N 3150-14MPT-115
GOVERNOR, WOODWARD, TYPE TG13, 4000 RPM
GOVERNOR, WOODWARD, TYPE PG-PL, 260-968

RESIN, AMBERLITE, HPR4800 (0H), ANION
SEAL ASSY,MECH,2 1/2in.,P-5135,REPAIR,FL
Can, 1/2 Pint w/Lid, 1-3/4" Opening
Battery, "D", 12pk, Alkaline
Glasses, Gray, Pyramex Goliath
SEAL ASSEMBLY,MECH,REPAIR,CARTRIDGE TYPE
O-RNG:315,BUNA-N,0.787" ID,1.207" OD
GASKET,2" AV PTFE / EPDM
GASKET, 3" AV PTFE / EPDM
BEARING,SKF 3307, P/N A-2RS1/C3,35 BD 33
BELT, P/N W2000, FOR K-3641
Standard Zirconia Cell & Seal Assembly
Kit,RTD Combustibles Detector for Ametek
Kalrez O-Ring, Combustibles/Methane Dete
Metal O-Ring, for ZrO2 Cell for Ametek
Assy, Furnace, WDG-V, 120 VAC for Ametek
Assy,WDG-V Boards and Plate For RTD Comb
Kit, Cartridge Heater 350W, 120V
RTD, Ceramic, 100 Ohm (RTD Box Temp)
Kit Cartridge Heater 50W 120V
AMEVISION HMI Display Unit , Division 2
SEAL, RAD-ISOMAG P/N 2250MP3000
Shaft sleeve
key, coupling
COUPLING,GEAR,AMERIGEAR(ZURN),P/N:F202SB
MRU Filter elements for V-5123(1339758)
Quart Cone Top Cans
Seal, Shaft, Magnetic P/N 1875MP2625
KIT, REPAIR, AIR END, FOR NDP-40BAV-HT(H
GEAR/SHAFT SET
COUPLING
PLATE, OIL SLINGER
I-BOLT, 1/2" X 13TPI X 2-1/4"L
BUSHING, SPLIT TAPERED
PACKING, 3/4", GRAPHITE, JOHN CRANE
500 PPM AMMONIA, BAL NITROGEN, CERT CUST
1.15% ETHYLENE, BAL AIR, PRIMARY 1A CYL
900 PPM NITRIC OXIDE, BAL NITROGEN, CERT
11% CARBONYL SULFIDE, BAL METHANE, PRIMA
5% CARBONYL SULFIDE, BAL METHANE, PRIMAR
15% CARBONYL SULFIDE, BAL METHANE, PRIMA
2% CARBONYL SULFIDE, BAL METHANE, PRIMAR
774 PPM CARBON MONOXIDE, 826 PPM HYDROGE
90 PPM NITRIC OXIDE, BAL NITROGEN, PRIMA
265 PPM HYDROGEN SULFIDE, 5% PROPANE, 20
1% OXYGEN, BAL NITROGEN, PRIMARY 1A CYL,
10% ISOPENTANE, 10% N-PENTANE, BAL NITRO